## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1 (original): A method of forming a roughened sheet comprising extruding a polymer sheet wherein at least one surface layer comprises polyether polymeric antistat, extrudable polymer, and compatibilizer stretching said polymer sheet by a ratio of at least 3:1 in at least one direction such that said at least one surface layer has a roughness of greater 0.3 Ra.

2 (original): The method of Claim 1 wherein said surface layer has a resistivity of less than 13 log ohm/sq.

3 (original): The method of Claim 1 wherein said polyether polymeric antistat comprises polyether block copolyamide.

4 (original): The method of Claim 1 wherein said extrudable polymer comprises polypropylene.

5 (original): The method of Claim 1 wherein said extrudable polymer comprises polyolefin.

6 (original): The method of Claim 1 wherein said extrudable polymer comprises polyester.

7 (original): The method of Claim 1 wherein said roughness is between 0.3 Ra and 2 Ra.

8 (original): The method of Claim 1 wherein said resistivity is less than 12.5 log ohm/sq.

9 (original): The method of Claim 1 wherein said polyether polymeric antistat comprises between 15 and 85% weight by layer, said

extrudable polymer comprises between 15 and 85% by weight of said layer, and said compatibilizer comprises between 0.2 and 20% by weight of said layer.

10 (original): The method of Claim 1 further comprising thermally processable onium salt.

11 (original): The method of Claim 1 wherein said thermally processable onium salt comprises between 0.1 and 10% by weight of the amount of said polyether polymeric antistat.

12 (canceled)

13 (canceled)

14 (currently amended): The imaging membermethod of Claim 1 wherein said compatibilizer comprises at least one member selected from the group consisting of polyethylene, polypropylene, ethylene/propylene copolymers, ethylene/butene copolymers, polyethylene, polypropylene, ethylene/propylene copolymers, ethylene/butene copolymers grafted with maleic anhydride or glycidyl methacrylate, ethylene/alkyl (meth)acrylate/maleic anhydride copolymers wherein the maleic anhydride is grafted or copolymerized, ethylene/vinyl acetate/maleic anhydride copolymers wherein the maleic anhydride is grafted or copolymerized, ethylene/alkyl (meth)acrylate/maleic anhydride copolymers and ethylene/vinyl acetate/maleic anhydride copolymers wherein anhydride is replaced fully or partly by glycidyl methacrylate, ethylene/(meth)acrylic acid copolymers and their salts, ethylene/alkyl (meth)acrylate/glycidyl methacrylate copolymers wherein the glycidyl methacrylate is grafted or copolymerized, and grafted copolymers constituted by at least one mono-amino oligomer of polyamide and of an alpha-mono-olefin (co)polymer grafted with a monomer able to react with the amino functions of said oligomer.

15 (currently amended): The <u>imaging membermethod</u> of Claim 1 wherein said compatibilizer comprises at least one member selected from the

group consisting of polyethylene, polypropylene, ethylene/propylene copolymers, ethylene/butene copolymers, polyethylene, polypropylene, ethylene/propylene copolymers, ethylene/butene copolymers grafted with maleic anhydride or gycidyl methacrylate, ethylene/alkyl (meth)acrylate/maleic anhydride copolymers, ethylene/vinyl acetate/maleic anhydride copolymers, ethylene/alkyl (meth)acrylate/glycidyl methacrylate copolymers, and ethylene/ glycidyl methacrylate.

16 (currently amended): The <u>imaging membermethod</u> of Claim 1 wherein said compatibilizer comprises terpolymers of ethylene/methyl acrylate/glycidyl methacrylate or copolymers of ethylene/ glycidyl methacrylate.